



# LA PRÓXIMA GENERACIÓN DE DISEÑO DE LENTES ESCLERALES



✉ [ventas@contactovisualnicaragua.com](mailto:ventas@contactovisualnicaragua.com)

☎ (+505) 8978-5220

🌐 [www.contactovisualnicaragua.com](http://www.contactovisualnicaragua.com)



Contacto Visual  
Nicaragua

## (02) 15.0 mm DIÁMETRO LENTES SIMÉTRICOS



### SMARTLENS # 01

Sag. mm3.400  
Curva Base8.65  
Potencia +3.00  
C.T. .30



### SMARTLENS # 02

Sag. mm3.800  
Curva Base 8.04  
Potencia 0.00  
C.T. .30

## (07) 15.5 mm DIÁMETRO LENTES DE ATERRIZAJE TÓRICO



### SMARTLENS # 03

Sag. mm3.200  
Curva Base8.65  
Potencia +4.00  
C.T. .30



### SMARTLENS # 04

Sag. mm3.400  
Curva Base8.65  
Potencia +3.00  
C.T. .30



### SMARTLENS # 05

Sag. mm3.600  
Curva Base8.45  
Potencia +2.00  
C.T. .30



### SMARTLENS # 06

Sag. mm3.800  
Curva Base 8.04  
Potencia 0.00  
C.T. .30



### SMARTLENS # 07

Sag. mm4.000  
Curva Base7.50  
Potencia -2.00  
C.T. .30



### SMARTLENS # 08

Sag. mm4.200  
Curva Base 7.03  
Potencia -4.00  
C.T. .30



### SMARTLENS # 09

Sag. mm4.800  
Curva Base 6.75  
Potencia -10.00  
C.T. .30



## (07) 16.5 mm DIÁMETRO LENTES DE ATERRIZAJE TÓRICO



### SMARTLENS # 10

Sag. mm3.800  
Curva Base8.44  
Potencia +2.00  
C.T. .30



### SMARTLENS # 11

Sag. mm4.000  
Curva Base 8.44  
Potencia 0.00  
C.T. .30



### SMARTLENS # 12

Sag. mm4.200  
Curva Base8.04  
Potencia -2.00  
C.T. .30



### SMARTLENS # 13

Sag. mm4.400  
Curva Base 8.04  
Potencia -4.00  
C.T. .30



### SMARTLENS # 14

Sag. mm4.600  
Curva Base 8.04  
Potencia -6.00  
C.T. .30



### SMARTLENS # 15

Sag. mm4.800  
Curva Base 8.04  
Potencia -8.00  
C.T. .30



### SMARTLENS # 16

Sag. mm5.200  
Curva Base7.34  
Potencia -12.00  
C.T. .30

✉ [ventas@contactovisualnicaragua.com](mailto:ventas@contactovisualnicaragua.com)

☎ (+505) 8978-5220

🌐 [www.contactovisualnicaragua.com](http://www.contactovisualnicaragua.com)



Contacto Visual  
Nicaragua